




ATM Hardware Single Stage Die Mold Precision Customized Die Casting Mold

Our Product Introduction

Basic Information

- Place of Origin: China
- Minimum Order Quantity: 1000
- Price: \$ +3000~15000+Pcs
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 3000+pcs+Month



Product Specification

- Size: Customized Size
- Type: Stage Die
- Expected Lifespan: 100,000 Cycles
- Suitable Materials: Steel
- Die Cavity Size: As Per Client's Drawing (e.g., 50 Mm X 50 Mm X 20 Mm)
- Technical Drawing: Attach Drawings Or Contact Us For Design
- Highlight: **ATM Hardware Single Stage Die Mold, Customized Die Casting Mold, ATM Die Casting Mold**

Product Description

Item	Description
Product Name	ATM Hardware Single Stage Die Mold Precision Customized Die Casting Mold
Working Process	Blanking, stamping, Punching, deep drawing, bending, Coining, Curling, Forming, threading, welding, tapping, riveting, cnc machining, CNC Milling
Material	carbon steel, Stainless steel Aluminum, copper, brass, bronze (according to customer's requirements)
Surface Treatment	Galvanized, Zinc, nickel, chrome-plated, Powder Coating, Polishing, Spraying, Anodizing, Pickling, E-coating, etc.
Packing	Inner-Plastic Bag; Outer -Standard Carton Box + Pallet/Wood Case
Application	Automobiles, Construction, Transportation, Furniture, machinery, home appliance, electronic & electric appliance, Agricultural Equipments
Equipments	stamping/punching machine, CNC bending machine, CNC Laser cutting machine, 5-250T punching machines, Welding Manipulator
Thickness	0.5mm~12mm
File Format	Solidworks, Pro/Engineer, Auto CAD, PDF, JPG
Service	Warm and quick response service provided by the professional Export Sales Team with many years' experience in handling exports to the US, Europe, Japan and other countries and regions.
Inspection	100% QC as to each products

Precision customized ATM hardware parts mold

1. Design:

Type: Single-stage die

Design Complexity: Medium

Die Cavities: 1

Die Material: Tool Steel

2. Dimensions:

Overall Size (L x W x H): 150 mm x 100 mm x 50 mm

Die Cavity Size: As per client's drawing (e.g., 50 mm x 50 mm x 20 mm)

3. Materials:

Die Material: D2 Tool Steel

Hardness: 58-62 HRC

Surface Finish: Ra 0.8 microns

4. Performance Characteristics:

Tolerance: ± 0.02 mm

Expected Lifespan: 100,000 cycles

Suitable Materials: Steel

5. Other Features:

Cooling Channels: Yes

Ejection System: Spring-loaded pins

Surface Treatment: Nitriding for wear resistance

6. Compliance:

Standards: Manufactured according to ISO 9001:2015 standards

Safety: Compliant with relevant safety regulations (e.g., CE)

7. Additional Notes:

Customization: Can be customized based on client specifications

Lead Time: 4-6 weeks for manufacturing

8. Technical Drawing:

(Attach drawings or contact us for design)



Dongfeng Saatchi Metal Products Co.,Ltd.

Office Address:

Building 3, No.8 Zhenxing Road, Loucun Community, Xihu Street, Guangming District, Shenzhen

Zip Code:518000

Email:①manager@dfsswj.cn ②905004489@qq.com

Mobile&Whats app:+86 18682375931

Wechat:Jxer5148



Shenzhen Dongfeng Shengshi Hardware products Co., LTD



18682375931



905004489@qq.com



metalstamp-parts.com

Building 3, No.8 Zhenxing Road, Loucun Community, Xihu Street, Guangming District, Shenzhen